

CLAIMS

What is claimed is:

1. A method for providing security to a wireless module, said method comprising providing security data to the wireless module.
2. A method for providing security to a wireless module as recited in Claim 1, wherein providing security data comprises providing a security code to the wireless module after the wireless module has been activated.
3. A method for providing security to a wireless module as recited in Claim 2, wherein providing a security code to the wireless module comprises:
- encrypting said security code;
- issuing said security code through wireless transmission to the wireless module; and
- decrypting said security code.
4. A method for providing security to a wireless module as recited in Claim 3, further comprising storing said security code.
5. A method for providing security to a wireless module as recited in Claim 4, wherein storing said security code comprises storing said security code to the wireless module.
6. A method for providing security to a wireless module as recited in Claim 4, wherein storing said security code comprises storing said security code to a peripheral device.

7. A method for providing security to a wireless module as recited in Claim 5, wherein storing said security code further comprises storing said security code to a peripheral device.

8. A method for providing security to a wireless module as recited in Claim 7,  
5 further comprising:  
providing the wireless module with an electronic serial number; and  
storing said electronic serial number to said peripheral device.

9. A method for providing security to a wireless module as recited in Claim 7,  
further comprising:  
10 providing said peripheral device with peripheral device data; and  
storing said peripheral device data to the wireless module.

10. A method for providing security to a wireless module as recited in Claim 8,  
further comprising:  
providing said peripheral device with peripheral device data; and  
15 storing said peripheral device data to the wireless module.

11. A method for providing security to a wireless module as recited in Claim 2,  
further comprising notifying a user of a peripheral device of said security code.

12. A method for providing security to a wireless module as recited in Claim 11,  
further comprising requiring at least one input of said security code into said  
20 peripheral device by said user.

Sub A27  
13. A security system for a wireless module, said system comprising:  
a wireless module configured to receive security data; and  
at least one peripheral device in electronic data communication with said  
wireless module, said peripheral device configured to receive said security data and  
5 transmit peripheral device data.

14. A security system for a wireless module as recited in Claim 13, wherein said  
security data comprises a security code, said wireless module configured to store said  
security code.

105001-00722553  
10 15. A security system for a wireless module as recited in Claim 13, wherein said  
wireless module comprises an electronic serial number, said peripheral device  
configured to store said electronic serial number.

16. A security system for a wireless module as recited in Claim 14, wherein said  
wireless module is further configured to store said peripheral device data.

15 17. A security system for a wireless module as recited in Claim 14, wherein said  
wireless module comprises an electronic serial number, said peripheral device  
configured to store said electronic serial number and said security code.

Sub A27  
18. A wireless module activation server comprising at least one user activation  
web site configured to transmit security data.

20 19. A wireless module activation server as recited in Claim 18, wherein said user  
activation web site is configured to activate and deactivate a wireless module.

Cont.  
20. A wireless module activation server as recited in Claim 18, wherein said user  
activation web site is configured to be in electronic data communication with a  
wireless module configured to store said security data.

A2  
Conc.

5

Sub A27

10

25. A wireless module as recited in Claim 24, wherein said wireless module is configured to store said security data within said peripheral device.